## Global Wild Poliovirus 2012 - 2017

		Wild virus confirmed cases									Wild virus reported from other sources <sup>2</sup>						
	Total					01 Jan - 02May <sup>1</sup>		Onset of most	Onset of most	Total						Date of most	
Country or territory <sup>3</sup>	2012	2013	2014	2015	2016	2016	2017	recent type 3	recent type 1	2012	2013	2014	2015	2016	2017	recent virus	
Pakistan	58	93	306	54	20	9	2	18-Apr-12	13-Feb-17	89	66	127	84	62	34	11-Apr-17	
Afghanistan	37	14	28	20	13	4	3	11-Apr-10	21-Feb-17			17	20	2	4	25-Mar-17	
Nigeria	122	53	6	0	4	0	0	10-Nov-12	21-Aug-16	15	3	1				05-May-14	
Somalia	0	194	5	0	0	0	0	NA	11-Aug-14								
Cameroon	0	4	5	0	0	0	0	15-Oct-09	09-Jul-14								
Equatorial Guinea	0	0	5	0	0	0	0	NA	03-May-14								
Iraq	0	0	2	0	0	0	0	NA	07-Apr-14								
Israel <sup>4</sup>	0	0	0	0	0	0	0	NA	NA		136	14				30-Mar-14	
Syrian Arab Republic	0	35	1	0	0	0	0	NA	21-Jan-14								
Ethiopia	0	9	1	0	0	0	0	NA	05-Jan-14								
West Bank and Gaza	0	0	0	0	0	0	0	NA	NA		7	1				05-Jan-14	
Kenya	0	14	0	0	0	0	0	NA	14-Jul-13		1					12-Oct-13	
Egypt	0	0	0	0	0	0	0	NA	03-May-04	2						06-Dec-12	
Niger	1	0	0	0	0	0	0	19-Jan-11	15-Nov-12								
Chad	5	0	0	0	0	0	0	10-Mar-11	14-Jun-12								
Total	223	416	359	74	37	13	5			106	213	160	104	64	38		
Total wild virus type 15	202	416	359	74	37	13	5										
Total wild virus type 3	21	0	0	0	0	0	0										
Tot. in endemic countries	217	160	340	74	37	13	5										
Tot. in non-end countries	6	256	19	0	0	0	0										
No. of countries (infected)	5	8	9	2	3	2	2										
No. of countries (endemic)	3	3	3	3 <sup>6</sup>	3 <sup>6</sup>	$3^6$	3										

Countries in yellow are endemic. 1Data in WHO HQ on 02 May 2017 for 2017 data and 03 May 2016 for 2016 data.

<sup>&</sup>lt;sup>2</sup>Wild viruses from environmental samples, contacts & other sources. <sup>3</sup>In March 2014, a serotype 1 wild poliovirus was detected in an environment specimen from Brazil, further investigation indicates this is an isolated event without evidence of circulation. <sup>4</sup>Results are based on L20B positive culture. Prior to reporting week 16, 2014, results were based on a combination of direct qRT-PCR on RNA from concentrated sewage and L20B positive culture. <sup>5</sup>Includes 1 case in 2012 with a mixture of W1W3 virus. <sup>6</sup>Between 27 Sep 2015 and