## Global Wild Poliovirus 2015 - 2020



	Wild virus type 1 confirmed cases								Wild virus type 1 reported from other sources <sup>2</sup>							
Country or territory <sup>3</sup>	Full year total					01 Jan - 21 Jan <sup>1</sup>		Date of most	Full year total					<b>01</b> Jan - <b>21</b> Jan <sup>1</sup>		Date of most
	2015	2016	2017	2018	2019	2019	2020	recent case	2015	2016	2017	2018	2019	2019	2020	recent virus
Pakistan	54	20	8	12	136	0	1	03-Jan-20	84	62	110	141	389	3	2	03-Jan-20
Afghanistan	20	13	14	21	29	0	0	07-Dec-19	20	2	42	83	55	0	0	25-Dec-19
Nigeria <sup>3</sup>	0	4	0	0	0	0	0	21-Aug-16		<b>1</b> <sup>4</sup>						27-Sep-16
Iran	0	0	0	0	0	0	0	NA					3			20-May-19
Total (Type1)	74	37	22	33	165	0	1		104	64	65	224	447	3	2	
Tot. in endemic countries	74	37	22	33	165	0	1									
Tot. in non-end countries	0	0	0	0	0	0	0									
No. of countries (infected)	2	3	2	2	2	0	1									
No. of countries (endemic)	3	2 <sup>3</sup>	2 <sup>3</sup>	3	3	3	3									

Countries in yellow are endemic. <sup>1</sup>Data reported to WHO HQ on 22 Jan 2019 for 2019 data and 21 Jan 2020 for 2020 data.

<sup>&</sup>lt;sup>2</sup>Wild viruses from environmental samples, selected contacts, healthy children and other sources. Last WPV type 3 had its onset on 10 November 2012. <sup>3</sup>Between 27 Sep 2015 and 27 Sep 2016, Nigeria was not classified as endemic. NA - Most recent case had onset prior to 1999. <sup>4</sup>Exceptionally reporting case-contact of a positive index case given the date of collection is later than the onset date of the most recent WPV.