Global Wild Poliovirus 2015 - 2020



Country or territory ³	Wild virus type 1 confirmed cases								Wild virus type 1 reported from other sources ²							
	Full year total					01 Jan -04 Feb ¹		Date of most	Full year total					01 Jan -04 Feb ¹		Date of most
	2015	2016	2017	2018	2019	2019	2020	recent case	2015	2016	2017	2018	2019	2019	2020	recent virus
Pakistan	54	20	8	12	144	1	7	11-Jan-20	84	62	110	141	389	19	12	09-Jan-20
Afghanistan	20	13	14	21	29	1	0	07-Dec-19	20	2	42	83	56	5	2	08-Jan-20
Nigeria ³	0	4	0	0	0	0	0	21-Aug-16		14						27-Sep-16
Iran	0	0	0	0	0	0	0	NA					3			20-May-19
Total (Type1)	74	37	22	33	173	2	7		104	64	65	224	448	24	14	
Tot. in endemic countries	74	37	22	33	173	2	7									
Tot. in non-end countries	0	0	0	0	0	0	0									
No. of countries (infected)	2	3	2	2	2	0	1									
No. of countries (endemic)	3	2 ³	2 ³	3	3	3	3									

Countries in yellow are endemic. ¹Data reported to WHO HQ on 05 Feb 2019 for 2019 data and 04 Feb 2020 for 2020 data.

²Wild viruses from environmental samples, selected contacts, healthy children and other sources. Last WPV type 3 had its onset on 10 November 2012. ³Between 27 Sep 2015 and 27 Sep 2016, Nigeria was not classified as endemic. NA - Most recent case had onset prior to 1999. ⁴Exceptionally reporting case-contact of a positive index case given the date of collection is later than the onset date of the most recent WPV.